# NEUROSCIENCE

An International Journal under the editorial direction of IBRO

Volume 55, 1993

TITLE SECTION
LIST OF CONTENTS
AND AUTHOR INDEX

PERGAMON PRESS
OXFORD · NEW YORK · SEOUL · TOKYO

# NEUROSCIENCE


*Chief Editors*

P. G. KOSTYUK: *Department of General Physiology, A. A. Bogomoletz Institute of Physiology, Academy of Sciences, 4 Bogomoletz Street, Kiev 24, 252601 GSP, Ukraine*

R. LLINÁS: *Department of Physiology and Biophysics, New York University School of Medicine, 550 First Avenue, New York 10016, U.S.A.*

A. D. SMITH: *Department of Pharmacology, University of Oxford, Mansfield Road, Oxford OX1 3QT, U.K.*

*Editorial Board*

G. ASTON-JONES (*Philadelphia, PA*)
A. BJÖRKLUND (*Lund*)
T. V. P. BLISS (*London*)
J. P. BOLAM (*Oxford*)
A. G. BROWN (*Edinburgh*)
M. C. BROWN (*Oxford*)
J. BUREŠ (*Prague*)
R. E. BURKE (*Bethesda, MD*)
G. BUZSÁKI (*Newark, NJ*)
A. L. BYSOV (*Moscow*)
D. W. CHOI (*St Louis, MO*)
A. CONSTANTI (*London*)
M. COSTA (*Adelaide*)
J. T. COYLE (*Belmont, MA*)
W. CRILL (*Seattle, WA*)
A. C. CUELLO (*Montreal*)
A. C. DOLPHIN (*London*)
F. E. DUDEK (*Fort Collins, CO*)
S. B. DUNNETT (*Cambridge*)
D. EDGAR (*Liverpool*)
M. M. ESIRI (*Oxford*)
R. H. EVANS (*Bristol*)
D. S. FABER (*Philadelphia, PA*)
V. V. FANARDJIAN (*Yerevan*)
R. L. M. FAULL (*Auckland*)
R. FISCHER-COLBRIE (*Innsbruck*)
T. F. FREUND (*Budapest*)
G. GABELLA (*London*)
J. GARTHWAITE (*Beckenham*)
H. M. GERSCHENFELD (*Paris*)
J. GLOWINSKI (*Paris*)
J. A. GRAY (*London*)
A. M. GRAYBIEL (*Cambridge, MA*)
R. W. GUILLERY (*Oxford*)
L. HEIMER (*Charlottesville, VA*)
Z. HENDERSON (*Leeds*)
J. HERBERT (*Cambridge*)
M. HERKENHAM (*Bethesda, MD*)
D. E. HILLMAN (*New York, NY*)
T. HÖKFELT (*Stockholm*)
E. HOLTZMAN (*New York, NY*)
P. HOLZER (*Graz*)
O. HORNYKIEWICZ (*Vienna*)
J. HOUNSGAARD (*Copenhagen*)
S. P. HUNT (*Cambridge*)
H. JAHNSEN (*Copenhagen*)
B. E. JONES (*Montreal*)
E. G. JONES (*Irvine, CA*)
G. JU (*Xi'an*)
J. S. KELLY (*Edinburgh*)
B. I. KHODOROV (*Moscow*)
S. T. KITAI (*Memphis, TN*)
C. KÖHLER (*Basel*)
O. A. KRISHTAL (*Kiev*)
S. N. LAWSON (*Bristol*)
C. A. MARSDEN (*Nottingham*)
M. R. MATTHEWS (*Oxford*)
A. I. MATUS (*Basle*)
R. Y. MOORE (*Pittsburgh, PA*)
D. K. MOREST (*Farmington, CT*)
J. F. MORRIS (*Oxford*)
É. MUGNAINI (*Storrs, CT*)
W. J. H. NAUTA (*Cambridge, MA*)
T. ONO (*Toyama*)
F. ORREGO (*Santiago*)
J. M. PALACIOS (*Barcelona*)
S. L. PALAY (*Concord, MA*)
V. H. PERRY (*Oxford*)
J. M. POLAK (*London*)
P. RAKIC (*New Haven, CA*)
H. J. RALSTON (*San Francisco, CA*)
S. J. REDMAN (*Canberra*)
T. S. REESE (*Bethesda, MD*)
F. REINOSO-SUÁREZ (*Madrid*)
L. P. RENAUD (*Ottawa*)
M. RÉTHELYI (*Budapest*)
P. J. ROBERTS (*Bristol*)
S. M. SHERMAN (*Stony Brook, NY*)
M. L. SHIK (*Moscow*)
M. V. SOFRONIEW (*Cambridge*)
P. SOMOGYI (*Oxford*)
C. SOTELO (*Paris*)
K. STARKE (*Freiburg*)
M. S. STARR (*London*)
M. STERIADE (*Québec*)
L. STJÄRNE (*Stockholm*)
K. SUZUKI (*Chapel Hill, NC*)
D. T. THEODOSIS (*Bordeaux*)
A. M. THOMSON (*London*)
S. R. VINCENT (*Vancouver*)
J. VOOGD (*Rotterdam*)
L. VYKLICKY (*Prague*)
K. D. WALTON (*New York, NY*)
X. S. T. WAN (*Beijing*)
S. P. WATSON (*Oxford*)
K. WICTORIN (*Lund*)
W. D. WILLIS (*Galveston, TX*)
H. WINKLER (*Innsbruck*)
D. J. WOODWARD (*Winston-Salem, NC*)
H. ZIMMERMANN (*Frankfurt*)
C. ZUCKER (*Boston, MA*)

*IBRO Publications Committee*

*Chairman*, A. D. SMITH; C. BLAKEMORE, R. LLINÁS, D. G. R. OTTOSON, D. P. PURPURA, P. G. STRATA.


**Aims and Scope:**
*Neuroscience* publishes papers describing the results of original research on any aspect of the scientific study of the nervous system. Since one of the chief aims of the Journal is to promote communication between neuroscientists, the type of paper most suitable for publication is that in which new observations are clearly and succinctly reported and in which the purpose of the study is made meaningful to scientists of other disciplines. Any paper, however short, will be considered for publication provided that it reports significant, new and carefully confirmed findings with full experimental details. For *Instructions to Authors* see Vol. 52, No. 1, pp. v–viii.


*Production Editors*: M. DAVIES, T. J. FISHER. *Editorial Assistants*: S. J. RUSSELL (U.K.), S. DUKE (U.S.).

*Published 24 per annum, two per month (six volumes, 1993)*

*Publishing, Subscription and Advertising Offices:*

*Headington Hill Hall, Oxford OX3 0BW [Tel*: (0865) 794141; *Fax*: (0865) 60285]



Copyright © 1993 IBRO

# LIST OF CONTENTS

VOLUME 55 NUMBER 1 1993

RESEARCH PAPERS


| | | |
|---|---|---|
| **N. Dumesnil-Bousez** and **C. Sotelo** | Partial reconstruction of the adult Lurcher cerebellar circuitry by neural grafting | 1 |
| **A. Takeda, H. Onodera, A. Sugimoto, K. Kogure, M. Obinata** and **S. Shibahara** | Coordinated expression of messenger RNAs for nerve growth factor, brain-derived neurotrophic factor and neurotrophin-3 in the rat hippocampus following transient forebrain ischemia | 23 |
| **A. Tortosa** and **I. Ferrer** | Parvalbumin immunoreactivity in the hippocampus of the gerbil after transient forebrain ischaemia: a qualitative and quantitative sequential study | 33 |
| **A. E. Watts, M. A. Whittington** and **J. G. R. Jefferys** | Epileptic focus induced in rat by intrahippocampal cholera toxin: neuronal properties *in vitro* | 45 |
| **C. Psarropoulou** and **M. Avoli** | 4-Aminopyridine-induced spreading depression episodes in immature hippocampus: developmental and pharmacological characteristics | 57 |
| **S. Kar, A. Baccichet, R. Quirion** and **J. Poirier** | Entorhinal cortex lesion induces differential responses in [$^{125}$I]insulin-like growth factor I, [$^{125}$I]insulin-like growth factor II and [$^{125}$I]insulin receptor binding sites in the rat hippocampal formation | 69 |
| **J. Poirier, A. Baccichet, D. Dea** and **S. Gauthier** | Cholesterol synthesis and lipoprotein reuptake during synaptic remodelling in hippocampus in adult rats | 81 |
| **P. Kugler, A. Schleicher, K. Zilles** and **E. Horváth** | Acetylcholinesterase activity and post-lesional plasticity in the hippocampus of young and aged rats | 91 |
| **H. Zimmermann, M. Vogel** and **U. Laube** | Hippocampal localization of 5′-nucleotidase as revealed by immunocytochemistry | 105 |
| **Y. Noda, T. Nakata** and **N. Hirokawa** | Localization of dynamin: widespread distribution in mature neurons and association with membranous organelles | 113 |
| **H. Higashi, E. Tanaka, H. Inokuchi** and **S. Nishi** | Ionic mechanisms underlying the depolarizing and hyperpolarizing afterpotentials of single spike in guinea-pig cingulate cortical neurons | 129 |
| **R. A. Lanius** and **C. Shaw** | High-affinity kainate binding sites in living slices of rat neocortex: characterization and regulation | 139 |
| **R. D. Page, M. A. Sambrook** and **A. R. Crossman** | Thalamotomy for the alleviation of levodopa-induced dyskinesia: experimental studies in the 1-methyl-4-phenyl-1,2,3,6-tetrahydropyridine-treated parkinsonian monkey | 147 |
| **P. Zhang, P. Damier, E. C. Hirsch, Y. Agid, I. Ceballos-Picot, P. M. Sinet, A. Nicole, M. Laurent** and **F. Javoy-Agid** | Preferential expression of superoxide dismutase messenger RNA in melanized neurons in human mesencephalon | 167 |
| **W. Schmidt, P. Guidetti, E. Okuno** and **R. Schwarcz** | Characterization of human brain kynurenine aminotransferases using [$^{3}$H]kynurenine as a substrate | 177 |
| **A. H. S. Hassan, A. Ableitner, C. Stein** and **A. Herz** | Inflammation of the rat paw enhances axonal transport of opioid receptors in the sciatic nerve and increases their density in the inflamed tissue | 185 |

| | | |
|---|---|---|
| **Z. Li** and **A. V. Ferguson** | Angiotensin II responsiveness of rat paraventricular and subfornical organ neurons *in vitro* | 197 |
| **A. Dinopoulos, I. Dori** and **J. G. Parnavelas** | Serotonergic innervation of the mature and developing lateral septum of the rat: a light and electron microscopic immunocytochemical analysis | 209 |
| **W. Wu, R. Elde** and **M. W. Wessendorf** | Organization of the serotonergic innervation of spinal neurons in rats—III. Differential serotonergic innervation of somatic and parasympathetic preganglionic motoneurons as determined by patterns of coexisting peptides | 223 |
| **K. B. Thor, S. Nickolaus** and **C. J. Helke** | Autoradiographic localization of 5-hydroxytryptamine$_{1A}$, 5-hydroxytryptamine$_{1B}$ and 5-hydroxytryptamine$_{1C/2}$ binding sites in the rat spinal cord | 235 |
| **C. D. Longley** and **L. C. Weaver** | Proportions of renal and splenic postganglionic sympathetic populations containing galanin and dopamine beta hydroxylase | 253 |
| **L. Marson, K. B. Platt** and **K. E. McKenna** | Central nervous system innervation of the penis as revealed by the transneuronal transport of pseudorabies virus | 263 |
| **G. Böttcher, E. Ekblad, R. Ekman, R. Håkanson** and **F. Sundler** | Peptide YY: a neuropeptide in the gut. Immunocytochemical and immunochemical evidence | 281 |
| **S. Tout, T. Chan-Ling, H. Holländer** and **J. Stone** | The role of Müller cells in the formation of the blood–retinal barrier | 291 |

VOLUME 55 NUMBER 2 1993

LETTER TO NEUROSCIENCE

| | | |
|---|---|---|
| **E. O'Hearn** and **M. E. Molliver** | Degeneration of Purkinje cells in parasagittal zones of the cerebellar vermis after treatment with ibogaine or harmaline | 303 |

RESEARCH PAPERS

| | | |
|---|---|---|
| **S. M. Turgeon** and **R. L. Albin** | Pharmacology, distribution, cellular localization, and development of $GABA_B$ binding in rodent cerebellum | 311 |
| **F. Pongrácz, T. S. McClintock, B. W. Ache** and **G. M. Shepherd** | Signal transmission in lobster olfactory receptor cells: functional significance of electrotonic structure analysed by a compartmental model | 325 |
| **A. Lehmenkühler, E. Syková, J. Svoboda, K. Zilles** and **C. Nicholson** | Extracellular space parameters in the rat neocortex and subcortical white matter during postnatal development determined by diffusion analysis | 339 |
| **C. Rosenblad** and **O. G. Nilsson** | Basal forebrain grafts in the rat neocortex restore *in vivo* acetylcholine release and respond to behavioural activation | 353 |
| **F.-C. Liu, S. B. Dunnett** and **A. M. Graybiel** | Intrastriatal grafts derived from fetal striatal primordia—IV. Host and donor neurons are not intermixed | 363 |
| **C. L. Miller** and **R. Freedman** | Medial septal neuron activity in relation to an auditory sensory gating paradigm | 373 |
| **C. W. Berridge, M. E. Page, R. J. Valentino** and **S. L. Foote** | Effects of locus coeruleus inactivation on electroencephalographic activity in neocortex and hippocampus | 381 |

| | | |
|---|---|---|
| **A. Cudennec, G. Bonvento, D. Duverger, P. Lacombe, J. Seylaz** and **E. T. MacKenzie** | Effects of dorsal raphe nucleus stimulation on cerebral blood flow and flow–metabolism coupling in the conscious rat | 395 |
| **S. Matsuzaki, M. Takada, Y.-Q. Li, H. Tokuno** and **N. Mizuno** | Serotoninergic projections from the dorsal raphe nucleus to the nucleus submedius in the rat and cat | 403 |
| **N. Corvaja, G. Doucet** and **J. P. Bolam** | Ultrastructure and synaptic targets of the raphe–nigral projection in the rat | 417 |
| **P. Casolini, P. V. Piazza, M. Kabbaj, F. Leprat, L. Angelucci, H. Simon, M. Le Moal** and **S. Maccari** | The mesolimbic dopaminergic system exerts an inhibitory influence on brain corticosteroid receptor affinities | 429 |
| **J. R. Day, N. J. Laping, M. Lampert-Etchells, S. A. Brown, J. P. O'Callaghan, T. H. McNeill** and **C. E. Finch** | Gonadal steroids regulate the expression of glial fibrillary acidic protein in the adult male rat hippocampus | 435 |
| **T. Ogata, Y. Nakamura, K. Tsuji, T. Shibata** and **K. Kataoka** | Steroid hormones protect spinal cord neurons from glutamate toxicity | 445 |
| **G. Di Chiara, E. Carboni, M. Morelli, A. Cozzolino, G. L. Tanda, A. Pinna, G. Russi** and **S. Consolo** | Stimulation of dopamine transmission in the dorsal caudate nucleus by pargyline as demonstrated by dopamine and acetylcholine microdialysis and Fos immunohistochemistry | 451 |
| **D. Clarençon, G. Testylier, M. Estrade, M. Galonnier, J. Viret, P. Gourmelon** and **M. Fatome** | Stimulated release of acetylcholinesterase in rat striatum revealed by *in vivo* microspectrophotometry | 457 |
| **R. S. Fiore, V. E. Bayer, S. L. Pelech, J. Posada, J. A. Cooper** and **J. M. Baraban** | p42 Mitogen-activated protein kinase in brain: prominent localization in neuronal cell bodies and dendrites | 463 |
| **M. C. Comelli, D. Guidolin, M. S. Seren, R. Zanoni, R. Canella, R. Rubini** and **H. Manev** | Time course, localization and pharmacological modulation of immediate early inducible genes, brain-derived neurotrophic factor and trkB messenger RNAs in the rat brain following photochemical stroke | 473 |
| **I. M. Krivko, D. A. Rusakov, S. V. Savina, G. G. Skibo** and **V. A. Berezin** | Lateral patterns of the neural cell adhesion molecule on the surface of hippocampal cells developing *in vitro* | 491 |
| **A. B. Scholey, S. P. R. Rose, M. R. Zamani, E. Bock and M. Schachner** | A role for the neural cell adhesion molecule in a late, consolidating phase of glycoprotein synthesis six hours following passive avoidance training of the young chick | 499 |
| **V. J. Aloyo, A. G. Romano** and **J. A. Harvey** | Evidence for an involvement of the $\mu$-type of opioid receptor in the modulation of learning | 511 |
| **B. Hutcheon, E. Puil** and **I. Spigelman** | Histamine actions and comparison with substance P effects in trigeminal neurons | 521 |
| **V. Radhakrishnan** and **J. L. Henry** | Excitatory amino acid receptor mediation of sensory inputs to functionally identified dorsal horn neurons in cat spinal cord | 531 |
| **B. Lindh, M. Risling, S. Remahl, L. Terenius** and **T. Hökfelt** | Peptide-immunoreactive neurons and nerve fibres in lumbosacral sympathetic ganglia: selective elimination of a pathway-specific expression of immunoreactivities following sciatic nerve resection in kittens | 545 |
| **N. Seno** and **A. Dray** | Capsaicin-induced activation of fine afferent fibres from rat skin *in vitro* | 563 |

| | | |
|---|---|---|
| **S.-P. Zhang, N. Natsukari, G. Bai, R. A. Nichols** and **B. Weiss** | Localization of the multiple calmodulin messenger RNAs in differentiated PC12 cells | 571 |
| **H. M. Young, K. McConalogue, J. B. Furness** and **J. De Vente** | Nitric oxide targets in the guinea-pig intestine identified by induction of cyclic GMP immunoreactivity | 583 |
| **E. J. Murphy, E. Roberts** and **L. A. Horrocks** | Aluminum silicate toxicity in cell cultures | 597 |

VOLUME 55 NUMBER 3 1993

LETTERS TO NEUROSCIENCE

| | | |
|---|---|---|
| **B. Weiss, L.-W. Zhou, S.-P. Zhang** and **Z.-H. Qin** | Antisense oligodeoxynucleotide inhibits $D_2$ dopamine receptor-mediated behavior and $D_2$ messenger RNA | 607 |
| **P. M. Hwang, A. M. Cunningham, Y. W. Peng** and **S. H. Snyder** | CDRK and DRK1 $K^+$ channels have contrasting localizations in sensory systems | 613 |

RESEARCH PAPERS

| | | |
|---|---|---|
| **C. Mailhos, M. K. Howard** and **D. S. Latchman** | Heat shock protects neuronal cells from programmed cell death by apoptosis | 621 |
| **J. Fournier, R. Steinberg, T. Gauthier, P. E. Keane, U. Guzzi, F. X. Coudé, I. Bougault, J. P. Maffrand, P. Soubrié** and **G. Le Fur** | Protective effects of SR 57746A in central and peripheral models of neurodegenerative disorders in rodents and primates | 629 |
| **H. Tsubokawa, H. P. C. Robinson, T. Takenawa** and **N. Kawai** | Block of long-term potentiation by intracellular application of anti-phosphatidylinositol 4,5-bisphosphate antibody in hippocampal pyramidal neurons | 643 |
| **C. P. Case** and **C. J. Plummer** | Changing the light intensity of the visual environment results in large differences in numbers of synapses and in photoreceptor size in the retina of the young adult rat | 653 |
| **R. Tuinhof, F. Y. S. C. Laurent, R. G. E. Ebbers, W. J. A. J. Smeets, M. C. H. M. Van Riel** and **E. W. Roubos** | Immunocytochemistry and *in situ* hybridization of neuropeptide Y in the hypothalamus of *Xenopus laevis* in relation to background adaptation | 667 |
| **M. Thakkar** and **B. N. Mallick** | Effect of rapid eye movement sleep deprivation on rat brain monoamine oxidases | 677 |
| **W. A. A. Kunze, J. B. Furness** and **J. C. Bornstein** | Simultaneous intracellular recordings from enteric neurons reveal that myenteric AH neurons transmit via slow excitatory postsynaptic potentials | 685 |
| **E. Merlo Pich, G. F. Koob, M. Heilig, F. Menzaghi, W. Vale** and **F. Weiss** | Corticotropin-releasing factor release from the mediobasal hypothalamus of the rat as measured by microdialysis | 695 |
| **F. Presse** and **J.-L. Nahon** | Differential regulation of melanin-concentrating hormone gene expression in distinct hypothalamic areas under osmotic stimulation in rat | 709 |
| **A. F. Fomina, P. G. Kostyuk** and **M. B. Sedova** | Glucocorticoids modulation of calcium currents in growth hormone 3 cells | 721 |
| **M. Lepre, R. H. Evans, H.-R. Olpe** and **F. Brugger** | The modulation of the monosynaptic reflex by substance P in the hemisected spinal cord preparation of the rat and gerbil | 727 |
| **M. Lantéri-Minet, P. Isnardon, J. de Pommery** and **D. Menétrey** | Spinal and hindbrain structures involved in visceroception and visceronociception as revealed by the expression of Fos, Jun and Krox-24 proteins | 737 |

| | | |
|---|---|---|
| **D. L. Tolbert, J. M. Alisky** and **B. R. Clark** | Lower thoracic–upper lumbar spinocerebellar projections in rats: a complex topography revealed in computer reconstructions of the unfolded anterior lobe | 755 |
| **L. Seress, R. Nitsch** and **C. Leranth** | Calretinin immunoreactivity in the monkey hippocampal formation—I. Light and electron microscopic characteristics and co-localization with other calcium-binding proteins | 775 |
| **R. Nitsch** and **C. Leranth** | Calretinin immunoreactivity in the monkey hippocampal formation—II. Intrinsic gabaergic and hypothalamic non-gabaergic systems: an experimental tracing and co-existence study | 797 |
| **A. R. Wakade, D. A. Przywara, S. V. Bhave, P. S. Chowdhury, A. Bhave** and **T. D. Wakade** | Massive exocytosis triggered by sodium–calcium exchange in sympathetic neurons is attenuated by co-culture with cardiac cells | 813 |
| **A. Albanese, R. Granata, B. Gregori, M. P. Piccardi, C. Colosimo** and **P. Tonali** | Chronic administration of 1-methyl-4-phenyl-1,2,3,6-tetrahydropyridine to monkeys: behavioural, morphological and biochemical correlates | 823 |
| **M. N. Castel, P. Morino, P. Frey, L. Terenius** and **T. Hökfelt** | Immunohistochemical evidence for a neurotensin striatonigral pathway in the rat brain | 833 |
| **A. Zagon** | Innervation of serotonergic medullary raphe neurons from cells of the rostral ventrolateral medulla in rats | 849 |
| **D. A. Morilak** and **R. D. Ciaranello** | Ontogeny of 5-hydroxytryptamine$_2$ receptor immunoreactivity in the developing rat brain | 869 |
| ERRATUM | | 881 |

VOLUME 55 NUMBER 4 1993

| | | |
|---|---|---|
| **L. Massieu, K. H. Thedinga, M. McVey** and **G. E. Fagg** | A comparative analysis of the neuroprotective properties of competitive and uncompetitive *N*-methyl-D-aspartate receptor antagonists *in vivo*: implications for the process of excitotoxic degeneration and its therapy | 883 |
| **X. Vigé, A. Carreau, B. Scatton** and **J. P. Nowicki** | Antagonism by $N^G$-nitro-L-arginine of L-glutamate-induced neurotoxicity in cultured neonatal rat cortical neurons. Prolonged application enhances neuroprotective efficacy | 893 |
| **T. Alexi** and **F. Hefti** | Trophic actions of transforming growth factor $\alpha$ on mesencephalic dopaminergic neurons developing in culture | 903 |
| **M. Hajós** and **S. A. Greenfield** | Topographic heterogeneity of substantia nigra neurons: diversity in intrinsic membrane properties and synaptic inputs | 919 |
| **J. A. M. Smith, F. M. Leslie, R. S. Broide** and **S. E. Loughlin** | Long-term changes in striatal opioid systems after 6-hydroxydopamine lesion of rat substantia nigra | 935 |
| **M. B. Calford, R. Rajan** and **D. R. F. Irvine** | Rapid changes in the frequency tuning of neurons in cat auditory cortex resulting from pure-tone-induced temporary threshold shift | 953 |
| **H. J. A. Beldhuis, A. J. H. de Ruiter, F. W. Maes, T. Suzuki** and **B. Bohus** | Long-term increase in protein kinase C-$\gamma$ and muscarinic acetylcholine receptor expression in the cerebral cortex of amygdala-kindled rats—a quantitative immunocytochemical study | 965 |

| | | |
|---|---|---|
| **F. Du, J. Williamson, E. Bertram, E. Lothman, E. Okuno** and **R. Schwarcz** | Kynurenine pathway enzymes in a rat model of chronic epilepsy: immunohistochemical study of activated glial cells | 975 |
| **Y. Shao** and **K. D. McCarthy** | Regulation of astroglial responsiveness to neuroligands in primary culture | 991 |
| **J. Frisén, M. Risling** and **K. Fried** | Distribution and axonal relations of macrophages in a neuroma | 1003 |
| **A. Cholewinski, G. M. Burgess** and **S. Bevan** | The role of calcium in capsaicin-induced desensitization in rat cultured dorsal root ganglion neurons | 1015 |
| **A. P. Baranowski, J. V. Priestley** and **S. McMahon** | Substance P in cutaneous primary sensory neurons—a comparison of models of nerve injury that allow varying degrees of regeneration | 1025 |
| **P. G. Green, J. Luo, P. H. Heller** and **J. D. Levine** | Further substantiation of a significant role for the sympathetic nervous system in inflammation | 1037 |
| **P. Weldon, M. Bachoo, M. A. Morales, B. Collier** and **C. Polosa** | Dynamics of large dense-cored vesicles in synaptic boutons of the cat superior cervical ganglion | 1045 |
| **R. Magoul, P. Dubourg, W. Benjelloun** and **G. Tramu** | Direct and indirect enkephalinergic synaptic inputs to the rat arcuate nucleus studied by combination of retrograde tracing and immunocytochemistry | 1055 |
| **K. Yuri** and **M. Kawata** | Time-course analysis of changes in calcitonin gene-related peptide- and methionine-enkephalin-immunoreactivity in the female rat preoptic area after estrogen treatment | 1067 |
| **K. A. Manning** and **D. J. Uhlrich** | The distribution of histaminergic axons in the superior colliculus of the cat | 1075 |
| **S. Zini, E. Tremblay, H. Pollard, J. Moreau** and **Y. Ben-Ari** | Regional distribution of sulfonylurea receptors in the brain of rodent and primate | 1085 |
| **A. Almeida, I. Tavares, D. Lima** and **A. Coimbra** | Descending projections from the medullary dorsal reticular nucleus make synaptic contacts with spinal cord lamina I cells projecting to that nucleus: an electron microscopic tracer study in the rat | 1093 |
| **M. Fonseca, E. Soriano, I. Ferrer, A. Martinez** and **T. Tuñon** | Chandelier cell axons identified by parvalbumin-immunoreactivity in the normal human temporal cortex and in Alzheimer's disease | 1107 |
| **Y. Koyama** and **Y. Kayama** | Mutual interactions among cholinergic, noradrenergic and serotonergic neurons studied by ionophoresis of these transmitters in rat brainstem nuclei | 1117 |
| **H. C. Kinney, T. J. O'Donnell, P. Kriger** and **W. Frost White** | Early developmental changes in [$^3$H]nicotine binding in the human brainstem | 1127 |
| **V. G. Lukashin, I. N. Zamuraev** and **V. V. Vshivtseva** | Morphological and electrophysiological peculiarities of sensory bush-like receptors of the frog urinary bladder | 1139 |
| **G. Yadid, M. B. H. Youdim** and **O. Zinder** | Uptake and receptor sites for glycine in isolated bovine adrenal medulla chromaffin cells | 1147 |
| BOOK REVIEW<br>**Z. Henderson** | *Brain Maps: Structure of the Rat Brain*. By L. W. Swanson | 1153 |